



Model Name	C of G	Weight	Date/Session
<i>MicroMax</i>	<i>65 mm</i>	<i>252 g</i>	<i>27/08/2021</i>

							Note: Rudder diff needs sorting out in all flight modes. Flight testing required							
Normal	Roll Control						Camber/Reflex				Snap Flap			
	Ailerons		Flaps		Elevator		Rudder		Flaps		Ailerons		Flaps	Ailerons
	Up	Down	Up	Down	Up	Down			Up	Down	Up	Down	Down	Down
Movement	10.0 mm	6.0 mm	n/a	n/a	5.5 mm	5.5 mm	10.0 mm	10.0 mm	n/a	n/a	n/a	n/a	n/a	n/a
Expo	30%	30%			30%	30%	30%	30%						

Thermal	Roll Control						Camber/Reflex						
	Ailerons		Flaps		Elevator		Rudder		Flaps		Ailerons		
	Up	Down	Up	Down	Up	Down			Up	Down	Up	Down	
Movement	11.0 mm	5.0 mm	n/a	n/a	5.5 mm	5.5 mm	10.0 mm	10.0 mm	n/a	n/a	n/a	2.0 mm	
Expo	30%	30%			30%	30%	30%	30%					

Speed	Roll Control						Camber/Reflex						
	Ailerons		Flaps		Elevator		Rudder		Flaps		Ailerons		
	Up	Down	Up	Down	Up	Down			Up	Down	Up	Down	
Movement			n/a	n/a	4.0 mm	4.0 mm	10.0 mm	10.0 mm	n/a	n/a	.5 mm	n/a	
Expo	30%	30%			30%	30%	30%	30%					

Butterfly	Ailerons	Flaps	Elevator	My preferred landing setup
	Down	Down	Down	
Movement	20.0 mm	n/a	4.0 mm	

Butterfly	Ailerons	Flaps	Elevator	Alternative setup
	Up	Down	Up	
Movement	10.0 mm	n/a	1.0 mm	